What Is Claimed Is:

- 1. An isolated polypeptide having β , β -carotene 15,15'-monooxygenase activity comprising SEQ ID NO: 1 or a polypeptide having β , β -carotene 15,15'-monooxygenase activity and being at least 60% homologous to SEQ ID NO: 1 as determined by the Wisconsin Sequence Analysis Package GCG, Version 9.1 (1997).
- 2. An isolated polypeptide according to claim 1 wherein the polypeptide is at least 70% homologous to SEQ ID NO: 1.
- 3. An isolated polypeptide according to claim 1 wherein the polypeptide is at least 80% homologous to SEQ ID NO: 1.
- 4. An isolated polypeptide according to claim 1 wherein the polypeptide is at least 90% homologous to SEQ ID NO: 1.
- 5. An isolated polypeptide according to claim 1 which is derived from chicken.
- 6. An isolated nucleic acid sequence encoding the polypeptide of claim 1.
- 7. An isolated nucleic acid sequence according to claim 6 which comprises SEQ ID NO: 2 or a fragment thereof.
- 8. An isolated nucleic acid sequence according to claim 7 wherein the fragment has at least 20 bases.
- 9. An isolated nucleic acid sequence according to claim 7 wherein the fragment has at least 30 bases.

- 10. An isolated nucleic acid sequence according to claim 6 wherein the nucleic acid is a deoxyribonucleic acid.
- 11. An isolated nucleic acid sequence according to claim 6 wherein the nucleic acid is an antisense ribonucleic acid.
- 12. A primer for amplifying a gene coding for a polypeptide having β , β -carotene 15,15'-monooxygenase activity which primer comprises a fragment of the nucleic acid sequence according to claim 6.
- 13. A probe for detecting a gene coding for a polypeptide having β , β -carotene 15,15'-monoxygenase activity which probe comprises a fragment of the nucleic acid sequence according to claim 6.
- 14. A test kit for amplifying and/or detecting a gene or a fragment thereof coding for β , β -carotene 15,15'-monooxygenase wherein the test kit comprises at least one primer according to claim 12.
- 15. A test kit for amplifying and/or detecting a gene or a fragment thereof coding for β , β -carotene 15,15'-monooxygenase wherein the test kit comprises at least one probe according to claim 13.
- 16. An antibody which specifically reacts with a polypeptide according to claim1.
- 17. An immunoassay for the detection and/or quantification of β , β -carotene 15,15'-monooxygenase which comprises at least one antibody according to claim 16.

- 18. A process for the production of vitamin A comprising enzymatically cleaving β-carotene with a polypeptide according to claim 1.
- 19. A method for introducing a β , β -carotene 15,15'-monooxygenase cDNA into a host cell comprising introducing a cDNA coding for the polypeptide of claim 1 into a vector suitable for the host cell and introducing the vector into the host cell.
- 20. A method according to claim 19 wherein the host cell is a plant cell.
- 21. A method according to claim 19 wherein the host cell is a prokaryotic cell.
- 22. A method according to claim 19 wherein the host cell is a yeast cell or a fungal cell.
- 23. A method according to claim 19 wherein the host cell is an alga cell.
- 24. A method according to claim 19 wherein the host cell is a mammalian cell.
- 25. A method according to claim 24 wherein the mammalian cell is a human cell.
- 26. A host cell obtained by the method of claim 19.
- 27. A host cell according to claim 26 which comprises a β , β -carotene 15,15'-monooxygenase cDNA obtained from another species.
- 27. An isolated polynucleotide which encodes β , β -carotene 15,15'-monooxygenase comprising SEQ ID NO: 2.

- 28. An isolated polynucleotide according to claim 27 which consists essentially of SEQ ID NO: 2.
- 29. An isolated polynucleotide according to claim 27 which consists of SEQ ID NO: 2.
- 30. A vector comprising the polynucleotide of SEQ ID NO: 2.
- 31. A host cell transformed with the vector of claim 30.

-- i'

- 32. An isolated polypeptide having β , β -carotene 15,15'-monooxygenase activity comprising SEQ ID Nos: 1 or 4.
- 33. A primer set for amplifying a polynucleotide encoding β , β -carotene 15,15'-monooxygenase comprising SEQ ID NO: 8 as a 5' primer and SEQ ID NO: 9 as a 3' primer.
- $^{\circ}$ 34. A primer set for amplifying a polynucleotide encoding β,β-carotene 15,15'-monooxygenase comprising a polyT/Not reverse primer and SEQ ID NO:10 as a forward primer.
- $\stackrel{\cdot}{\cdot}$ 35. A kit for amplifying and/or detecting a polypeptide or fragment thereof encoding β , β -carotene 15,15'-monooxygenase comprising at least one primer selected from the group consisting of SEQ ID Nos: 8, 9, and 10.